

NEW DUAL

COLLETTORI PER GRUPPI DI PRESSURIZZAZIONE

MANIFOLDS FOR WATER BOOSTER UNITS



CARATTERISTICHE TECNICHE

- // **Lavorazione:** deformazione a freddo del tubo
- // **Materiale:**
acciaio inox Aisi 304 (Aisi 316 solo su richiesta)
- // **Saldature:** a TIG senza apporto di materiale
- // **Trattamento superficiale:**
sgrassaggio, decapaggio ed elettrolucidatura
- // **Conessioni filettate:**
gas cilindriche secondo UNI ISO 228/1
- // **Pressione nominale di esercizio:** 16 bar

TECHNICAL FEATURES:

- // **Manufacturing process:** pipes cold buckling
- // **Material:**
stainless steel Aisi 304 (Aisi 316 only on request)
- // **Welded joints:** made with TIG method without any additional material
- // **Surface treatment:**
degreasing, pickling and electropolishing.
- // **Threaded ends:** UNI ISO 228/1 gas cylindric
- // **Nominal working pressure:** 16 bar




VERSIONE 2 POMPE - TIPO M: COLLETTORI DI MANDATA//

2 PUMPS MODEL - M TYPE: DELIVERY MANIFOLDS



DIMENSIONI E PESI//DIMENSIONS AND WEIGHTS

DNM	DMP	Modello Models	Dimensioni in mm//Dimensions in mm						Peso in kg Weight in kg	Codice articolo Code
			A	B	C	D	E	F		
1"1/2 M	1" M	M 150/100	600	300	150	370	115	90	1,370	5M0001
2" M	1" M	M 200/100	600	300	150	370	115	90	1,600	5M0006
2" M	1"1/4 M	M 200/125	600	300	150	370	115	90	1,654	5M0002
2" M	1"1/2 M	M 200/150	600	300	150	370	115	90	1,675	5M0003
2"1/2 M	1"1/2 M	M 250/150	600	300	150	370	115	90	2,447	5M0007
3" M	1"1/2 M	M 300/150	700	360	170	430	135	115	3,200	5M0004
3" M	2" M	M 300/200	600	300	150	370	115	90	3,400	5M0005
3" M	2" M	M 300/200	700	360	170	370	165	90	3,530	5M0008
DN100 *	2"1/2 M	M 400/250	760	360	170	430	165	145	6,930	5M0018




VERSIONE 2 POMPE - TIPO A: COLLETTORI DI ASPIRAZIONE//

2 PUMPS MODEL - A TYPE: SUCTION MANIFOLDS



DIMENSIONI E PESI//DIMENSIONS AND WEIGHTS

DNM	DMP	Modello Models	Dimensioni in mm Dimensions in mm				Peso in kg Weight in kg	Codice articolo Code
			A	B	C	D		
1"1/2 M	1" M	A 150/100	600	300	150	65	1,205	5M0009
2" M	1" M	A 200/100	600	300	150	65	1,441	5M0006A
2" M	1"1/4 M	A 200/125	600	300	150	65	1,500	5M0010
2" M	1"1/2 M	A 200/150	600	300	150	65	1,600	5M0014
2"1/2 M	1"1/4 M	A 250/125	600	300	150	65	2,295	5M0011
2"1/2 M	1"1/2 M	A 250/150	600	300	150	65	2,261	5M0012
3" M	2" M	A 300/200	600	300	150	65	3,094	5M0016
3" M	2" M	A 300/200	700	360	170	65	3,384	5M0013
DN100 *	2"1/2M	A 400/250	760	360	200	95	6,700	5M0019



* Flange Stampate PN16 / PN16 Flanges from pressed stainless steel

Per Versioni Personalizzate, Contattare Il Nostro Ufficio Commerciale
For Personalized Models, Contact Our Sales Dept.


VERSIONE 3 POMPE - TIPO M: COLLETTORI DI MANDATA//

3 PUMPS MODEL - M TYPE: DELIVERY MANIFOLDS



DIMENSIONI E PESI//DIMENSIONS AND WEIGHTS

DNM	DMP	Modello Models	Dimensioni in mm // Dimensions in mm						Peso in kg Weight in kg	Codice articolo Code
			A	B	C	D	E	F		
2" M	1" M	M 200/100	900	300	150	370	80	90	2,34	5M0006P
2" M	1"1/4 M	M 200/125	900	300	150	370	80	90	2,34	5M0002P
2"1/2 M	1"1/4 M	M 250/125	900	300	150	370	80	90	3,62	5M0011MP
2"1/2 M	1"1/2 M	M 250/150	900	300	150	370	80	90	3,66	5M0007P
3" M	1"1/2 M	M 300/150	900	300	150	370	80	90	4,69	5M0004P
3" M	2" M	M 300/200	1060	360	170	370	160	90	5,09	5M0008P
DN100 *	2" M	M 400/200	1120	360	200	370	130	120	13,08	5M0020




VERSIONE 3 POMPE - TIPO A: COLLETTORI DI ASPIRAZIONE//

3 PUMPS MODEL - A TYPE: SUCTION MANIFOLDS



DIMENSIONI E PESI//DIMENSIONS AND WEIGHTS

DNM	DMP	Modello Models	Dimensioni in mm Dimensions in mm				Peso in kg Weight in kg	Codice articolo Code
			A	B	C	D		
2" M	1" M	A 200/100	900	300	150	65	2,10	5M0006AP
2" M	1"1/4 M	A 200/125	900	300	150	65	2,10	5M0010P
2" 1/2 M	1"1/4 M	A 250/125	900	300	150	65	3,50	5M0011P
2" 1/2 M	1"1/2 M	A 250/150	900	300	150	65	3,80	5M0012P
3" M	2" M	A 300/200	900	300	150	65	4,80	5M0016P
3" M	1"1/2 M	A 300/150	1060	360	170	65	4,85	5M0017P
3" M	2" M	A 300/200	1060	360	170	65	4,98	5M0013P
DN100 *	2" M	A 400/200	1120	360	200	95	12,77	5M0021



* Flange Stampate PN16 / PN16 Flanges from pressed stainless steel

Per Versioni Personalizzate, Contattare Il Nostro Ufficio Commerciale
For Personalized Models, Contact Our Sales Dept.

COLLETTORI SPECIALI //

SPECIAL MANIFOLDS

CARATTERISTICHE TECNICHE:

- // **Lavorazione:** deformazione a freddo del tubo
- // **Materiale:**
acciaio inox Aisi 304 (Aisi 316 solo su richiesta)
- // **Saldature:** a TIG senza apporto di materiale
- // **Trattamento superficiale:**
sgrassaggio, decappaggio ed elettrolucidatura
- // **Modelli filettati (da 1" 1/2 a 4"):**
filettature gas UNI ISO 228/1 o UNI EN 10226-1
- // **Modelli flangiati (da 1" 1/2 a 10"):**
flange con foratura UNI EN 1092-1
- // **Pressione nominale di esercizio:**
vedere tabella sottostante
- // **Lunghezza massima realizzabile:** 2000 mm

TECHNICAL FEATURES:

- // **Manufacturing process:** pipes cold buckling
- // **Material:**
stainless steel Aisi 304 (Aisi 316 only on request)
- // **Welded joints:** made with TIG method without any additional material
- // **Surface treatment:**
degreasing, pickling and electropolishing.
- // **Threaded models (from 1" 1/2 to 4"):**
threads UNI ISO 228/1 or UNI EN 10226-1
- // **Flanged models (from 1" 1/2 to 10"):**
flanges with holes according to UNI EN 1092-1
- // **Nominal working pressure:** see the table below
- // **Maximum length:** 2000 mm



DIMENSIONI E PESI // DIMENSIONS AND WEIGHTS

Tubo principale // Main pipe		Diametro tubo mm Main Pipe Diameter mm	Spessore mm Thickness mm	Pressione nominale in bar Nominal pressure in bar	Lunghezza massima in mm Maximum lenght in mm
Misura // Size	DN				
1" 1/2	40	48,3	1,5	25	2000
2"	50	60,3	1,5	25	2000
2" 1/2	65	76,1	2	25	2000
3"	80	88,9	2	25	2000
4"	100	114,3	3	16	2000
5"	125	139,7	3	16	2000
6"	150	168,3	3	12	2000
8"	200	219,1	4	10	2000
10"	250	273	4	10	2000